
SM SECUTECH SOLUTIONS LLP



COMPANY PROFILE









ENTRANCE AUTOMATION
HIGH END SECURITY
WAREHOUSING SOLUTIONS
HYGIENE SYSTEM

ABOUT COMPANY

Established in 2023, **SM Secutech Solutions LLP**, is a firm where we Provide wide range of Entrance Automation, Access. Security and Hygiene Products/ also Customised Solutions meeting clients Requirements and satisfaction. Company rises to prominence as the industry leader in supplying and trading an innovative range of Automatic Doors, Gates, and Shutters. Our Comprehensive product lines and Services encompasses Warehousing Solutions with Dock Levelers, Dock Shelters, Sectional Overhead Doors and High speed Doors. Also Products Like Access Control System, CCTV, Tripods and Flap Barriers. High end security Products like, Rising Bollards, Tyre Killer Etc.

OUR MISSION

We at SM Secutech, are committed to deliver international quality, standards and certified Products. We firmly believe that our Entrance Automation Solutions, meet our Customers needs within their Schedule and Budgets.

OUR VISION

To be a successful Technology Company trusted by its customers for their Products & Service Excellence, We Aim to deliver innovative and value driven products and Solutions.

From the Founders Desk

Having a vast experience of more than 20 years on the strengths of relevant background and rich experience in the TECHNICAL FIELD AND MARKETING SKILLS, they dream of growing beyond the comfort Zone and to offer unique products and solutions that can be thought on a broader perspective.

Having a thorough study of products from Overseas, they both visualize a huge technology solution in India to meet our customer requirements.

Join US


Welcome to SM Secutech, where dynamism meets innovation! As a B2B / B2C startup, we are dedicated to understand and exceed our clients' needs. Our mission is simple: to provide unparalleled entrance automation solutions and integrated services to industrial and corporate clients.

At SM Secutech, we specialize in streamlining entry and exit processes, expediting loading and unloading operations, and ensuring seamless Movements with a focus on safety and security. Our comprehensive suite of solutions is designed to optimize efficiency, enhance productivity, and eliminate hassles for our valued customers.


With a commitment to excellence and a passion for innovation, we are here to revolutionize the way businesses approach entrance automation. Join us on this journey toward a future of effortless access and unparalleled convenience.


Discover the power of SM Secutech Where every entrance is an opportunity, and every exit lead to success.


PRODUCTS RANGE




Wide Range of Entrance Automation, Hygiene and Security Solutions.








AUTO SWING GATE




MOTORIZED ROLLING SHUTTER FIRE RATED DOOR PVC ROLL UP DOOR **BOOM BARRIER**











DOCK LEVELER









DOCK SHELTER




TRIPOD



FLAP BARRIER




RISING BOLLARDS




TYRE KILLER



AIR CURTAIN



HAND DRYER



FLY KILLER






AUTO SLIDING DOOR

Safety , Easy Access, Energy Efficient and Cost-saving

Accessibility

Since automatic doors can be opened without the use of hands, they offer convenience to everyone even with baggage in both hands or carrying a cart. Automatic doors are widely used at high traffic places like commercial buildings, hotels and public facilities to show care and good customer service.






Hygiene Control

The hands-free operation of automatic doors offer a optimal solution to hospitals and food factories where sanitation is essential. Automatic door with air-tight function can also prevent the entry of dust and dirt by increasing the air pressure of the room, which is suitable for operating rooms and other controlled environments.

DOOR OPERATOR DETAILS



FRAME LESS DOOR



DOOR WITH FRAME



TECHNICAL SPECS

Leaf weight	1 x 180kg single leaf / 2 x 140kg double leaf	
Opening speed	max. 0.8 m/s	
Closing speed	max. 0.8 m/s	
Opening force	10 to 150 N (adjustable)	
Closing force	10 to 150 N (adjustable)	
Hold open time	1 to 5 sec	
Mechanical		
Installation	Surface Applied/Between walls/ Against Posts	
Structure	Aluminium	
Casing	With cover 170H x 110W	
	Without cover 150H x 110W	
Clear opening	700 – 3000 mm single leaf	
	900 – 3000 mm double leaf	
Clearance height	max. 3100 mm	
Electrical		
Power supply	AC 220V 5A 50Hz / AC 110V 60Hz	
External power supply	24 V DC / 2A	
Power Consumption	80W	
Sensor power	DC24V	
Temperature range	-10 to +50 C	
Relative humidity	5 to 95%	
Function Programs		
Off		
Automatic		
Permanent Open		
Permanent Open Half Open/Partial Opening		

CLEAN ROOM DOOR




AUTO SLIDING GATES

Security / Safety











Capacity: 500 to 8000 KG Speed: 9 M Per / Min

Make : European

Direction: Bi - Direction Limit Switch: Mechanical

Controller : Inbuilt















Whether Proof Manual Operation on PowerFailure


AUTO SWING GATES

S<mark>ecuri</mark>ty / Safety











Capacity: 200 to 700 KG Size: 4 M x 4 M Speed: Adjustable

Make : European Direction : Single

Limit Switch : Mechanical

Controller : Seprate













Whether Proof Manual Operation on PowerFailure

RETRACTABLE GATES

Wide Opening / Space Saving

Retractable Gate is not only very strong and sturdy, It is easy to install and use, Without the many difficult installation, No Civil Work, Also sturdy and quick to install.

SS 304



ALUMINIUM




MS POWER COATED














Whether Proof

Manual Operation on PowerFailure

BOOM BARRIERS

BOOM BARRIER






WITH LONG RANGE READER



WITH SKIRTING





COMPONENTS

- 1 Motor
- 2 Boom
- 3 Transmitter
- 4 Receiving module
- 5 End support post

ADDITIONAL ACCESSORIES


- A Key switch
- **B** Flashing light
- **C** Photocells
- D Pillar photocells
- E Lights kit (boom)
- F Lights kit (barrier)
- G Pillar-mounted digital radio switch


ROLLING SHUTTERS





MOTORISED / HAND CRANK





SLATS

MOTORS



CORRUGATED



PERFORATED



PLAIN



PUFF INSULATED



FIRE RATED DOORS

Fire Rated Doors


Fire Rated Doors are of acute importance in buildings and areas needing to compartmentalize and hold the spread of fire. While the cause of the fire could be arson, short circuit, gas leakage, or sheer negligence, the range of passive fire doors is designed to restrict their spread and save lives. For this, the door must serve as a fire and smoke barrier. Studies have shown that more people have lost lives due to smoke suffocation while firing. These doors are available with Rockwool core as standard infill material and are rated for 60 and 120 minutes fire withstanding ability. All fire doors are factory finished with epoxy primer and polyurethane finish paint / Powder Coated.






Specifications

Door Frame, Leaf Liner & Outer sheet Material	GI sheets (Color is Optional)
Liner & Outer Sheet Thickness	1.2mm Thick
Infill insulation Material	Honycomb & Rockwool
Frame Matrerial	1.6mm Thick
Gasket	Perimeter Single Gasket (smoke & Dustproof)
Firerated Hours of Time	2 Hrs Firerated (CBRI Certified)
Accessories	Hinges, Door Closure, Panicbar/Lock, D-Handle
View Glass	200x300 mm Firerated View Glass
Thickness of Door Leaf	46mm



DOOR OPENING DIRECTION



HYDRAULIC DOCK LEVELER


Fast Loading Unloading , Safe , Efficient




Detailed View




Civil PIT Details



Cross Section View



Specs:





Capacity: 6 ton to 15 ton
Size: Customized
Power Pack: Hydraulic
Make: European
Model: Swing Lip
Power: 1.5 KW

Safety: Non Return Valve
Oil: Hydraulic no 60

Tank Cap: 6 liter Refuel: 6 month

SECTIONAL OVERHEAD DOORS

Controlled Environments

Industrial sectional overhead doors are important for agricultural businesses. These doors protect the quality of crops after they are harvested. They can be insulated and have door seals—helping to maintain conditions in the building. Sectional overhead doors are best for warehouses and storage buildings where it is necessary to keep the temperature the same.

SLIDING SYSTEM






EXPLODED VIEW









DOCK SHELTER


Simple to install, robust and durable. Shelters are manufactured from Aluminum Heavy Duty section Covered in a heavy duty Nylon re-enforced PVC. The roof draining water to each side

- •Suitable for a wide variation in vehicle sizes.
- •Will fit around most common doorways.
- •Retracts when struck.
- •Reduces heat loss from the building.
- •Protects loading bay personnel from external weather conditions.
- •Available in dock height or ground level configurations.
- •Simple to fit, supplied with full fitting instructions.
- •Standard and non-standard sizes.






RETRACTABLE



INFLATABLE



PVC HIGH SPEED DOORS

SELF REPAIR




ROLL TYPE



PACK MODEL





- 01 Photocell
- 15. Bottom Fixing
- 03. Motor Cable
- 04. Control board
- 05. Door Column
- 14. Motor with Cover
- 08. Main fixing BKT
- 09. Side Bracket
- 10. Front cover
- 11 Flashing light
- 13. Curtain Stiffeners'
- 12. Vision window




HYDRAULIC RISING BOLLARDS

With security bollards in place, you can ensure that only authorized vehicles are allowed onto your property, reducing the risk of theft, vandalism, and Anti-Social activities. Another important benefit of driveway security bollards is that they can help reduce vehicle-related accidents.









Control Board



Loop Detector



Traffic Light



Photo beam Slim



ELV Switch



Hydraulic Oil




Flash Lamp

TYRE KILLER

Tyre Killer is an electro hydraulically operated heavy duty spike barrier which rises above the ground level on giving a valid input signal and thus prevents unauthorized intrusions at entry/exit points of high security premises.









TRIPOD / FLAP BARRIER

They allow only authorized personnel entrance into facilities and act as a tough-to-breach barrier to would-be unauthorized entrants. By simply employing an entrance turnstile at your facility you can elevate your security and deter unwanted entrants almost entirely autonomously.

TRIPOD








FLAP BARRIER





P GATE

Benefits of P-Type Swing Gates

Enhanced Security: Manual P-Type Swing Gates provide a robust security solution that controls and monitors entry and exit points effectively.

User-Friendly: These gates are easy to use, with intuitive operation for both authorized personnel and visitors. The smooth motion enhance user experience.

Space Efficiency:- The swinging mechanism requires less space compared to sliding gates, making P-Type Swing Gates ideal for areas with spatial constraints.

Accessibility: P-Type Swing Gates can be configured to comply with accessibility standards, ensuring ease of use for individuals with disabilities.

Aesthetic Appeal :- The sleek design of these gates adds a touch of modernity to any setting, enhancing the overall aesthetic appeal of the facility.

PVC STRIP CURTAINS

PVC STRIP CURTAINS controlling temperature, reducing noise, improving safety, and maintaining a clean and hygienic environment.

NORMAL TEMPERATURE




FREEZER GRADE





- 1. Economical
- 2. Low maintenance
- 3. Control temperatures
- 4. Isolate noise
- 5. Reduce the movement of contaminants
- 6. Reduce pests
- 7. Easy for employees to pass through
- 8. Transparent
- 9. Increase employee comfort
- 10. No need to remember to close them

8 INCH STRIP





HYGIENE SYSTEM

AIR CURTAIN

Keeps the atmosphere clean from pest and insects, dust, airborne, pollution, smells, odours and stops draughts and cold or hot air entrance.



HAND DRYERS

Hand Dryers are not only efficient in drying hands quickly but also are notably more quiet than other hand drying alternatives and contribute to environmental sustainability by reducing paper waste and offering better energy efficiency compared to paper towels.

ABS MODEL



INSECT KILLER





JET HAND DRYERS



INSECT KILLER work specific wavelength of light that is attractive to insects. When the insects fly towards the light, they are electrocuted or trapped on adhesive surfaces. These machines are a popular way to control insect populations, as they are relatively inexpensive and easy to use.





WE ARE CHANNEL PARTNERS FOR

1. SOMFY (BFT) GATE MOTOR, BARRIERS

2. ID TEK ACCESS SOLUTIONS

3. SMART POWER AUTO DOOR, TRIPOD, FLAP BARRIERS

4. VEHANT UVSS, BAGGAGE SCANNERS

5. SWARAJ SECUTECH RISING BOLLARDS, TYRE KILLERS

OUR ESTEEMED CLEINTS

- 1. OBEROI SCHOOL GOREGAON
- 2. BANK OF INDIA BELAPUR
- 3. TAJ VIVANTA NAVI MUMBAI
- 4. VIJAY SALES MUMBAI / PUNE
- 5. GAJANAN MAHARAJ SHANSTHAN SHEGAON
- 6. NAVRANG BASANT SOC COLABA
- 7. M.J SHAH BUILDERS MUMBAI
- 8. AZUMI SOC MUMBAI
- 9. VERONA HIRANANDANI POWAI
- 10. INDU VILLA SOC MUMBAI
- 11. AVI ENTERTAINMENT MUMBAI
- 12 AWARWAL SWEETS THANE
- 13. MAFFFL MUMBAI
- 14. METATECH PORTABLES INDORE
- 15. INFIBUILT CONSTRUCTIONS THANE
- 16. ELCASTILO SOC THANE
- 17. ASHOKA ENGINEERING MUMBAI
- 18. AAK INDIA KHOPOLI
- 19. NEELKANTH GROUP MUMBAI
- 20 . SIKERIA SHELTERS THANE

CONTACT US

OFFICE ADD.:-

H-135, ANSA INDUSTRIAL ESTATE SAKI VIHAR ROAD, SAKINAKA, ANDHERI EAST, MUMBAI-400 072

REG ADD.:-

A/24, UTTRAYAN CHS LTD.
OPP JAMMU AND KASHMIR BANK,
MAHAKALI CAVES ROAD
ANDHERI EAST, MUMBAI-400 093.

PHONE: 7045757053 / 7045757043

EMAIL: sales@smsecutech.com/smsecutech@gmail.com

WEB: www.smsecutech.com